

Applicants have elected to prosecute the claims of invention I, claims 1-75, 80 and 81, drawn to a composite particle, classified in class 502, subclass 400. Please rejoin claims 1-75, 80 and 81. Please cancel without prejudice claims 76-79, 82 and 83 as being drawn to a non-elected invention and add claims 84-95 as indicated below in the listing of claims.

## **Listing of Claims**

- (Original) A composite particle, comprising:
  an absorbent material formed into a particle; and
  at least one performance-enhancing active added to the absorbent material.
- 2. (Original) A composite particle as recited in claim 1, wherein the absorbent material is a liquid-absorbing material and is selected from a group consisting of: a mineral, fly ash, absorbing pelletized material, perlite, silica, organic materials, and mixtures thereof.
- 3. (Original) A composite particle as recited in claim 2, wherein the absorbent material is a mineral selected from a group consisting of: bentonite, zeolite, montmorillonite, diatomaceous earth, opaline silica, Georgia White clay, sepiolite, calcite, dolomite, slate, pumice, tobermite, marls, attapulgite, kaolinite, halloysite, smectite, vermiculite, hectorite, Fuller's earth, fossilized plant materials, expanded perlite, gypsum, and mixtures thereof.
- 4. (Original) A composite particle as recited in claim 1, wherein the absorbent material comprises sodium bentonite granules having a mean particle diameter of about 5000 microns or less.

Application No.: 10/618,401

5. (Original) A composite particle as recited in claim 4, wherein the absorbent material

comprises sodium bentonite granules having a mean particle diameter of about 3000

microns or less.

6. (Original) A composite particle as recited in claim 4, wherein the absorbent material

comprises sodium bentonite granules having a mean particle diameter in the range of

about 25 to about 150 microns.

7. (Original) A composite particle as recited in claim 1, wherein the added performance-

enhancing active includes at least one of an antimicrobial, an odor reducing material, a

binder, a fragrance, a health indicating material, a color altering agent, a dust reducing

agent, a nonstick release agent, a superabsorbent material, cyclodextrin, zeolite, activated

carbon, a pH altering agent, a salt forming material, a ricinoleate and mixtures thereof.

8. (Original) A composite particle as recited in claim 1, wherein a performance-

enhancing additive is sprayed onto the particles.

9. (Original) A composite particle as recited in claim 1, wherein granules of a

performance-enhancing additive are dry-blended with the particles.

10. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active comprises a boron-containing compound.

11. (Original) A composite particle as recited in claim 10, wherein the boron containing

compound is present in an antimicrobially effective amount, wherein the boron

containing compound is selected from a group consisting of borax pentahydrate, borax

decahydrate, boric acid, polyborate, tetraboric acid, sodium metaborate, anhydrous, boron

components of polymers, and mixtures thereof.

Application No.: 10/618,401

12. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active inhibits the formation of odor, the active comprising a water soluble

metal salt selected from a group consisting of: silver, copper, zinc, iron, and aluminum

salts and mixtures thereof.

13. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active is present in an effective amount.

14. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active is activated carbon.

15. (Original) A composite particle as recited in claim 14, wherein the activated carbon is

present in about 5 weight percent or less based on a weight of the composite particle.

16. (Original) A composite particle as recited in claim 14, wherein the activated carbon is

present in about 1 weight percent or less based on a weight of the composite particle.

17. (Original) A composite particle as recited in claim 14, wherein the activated carbon

has a mean particle diameter of about 5000 microns or less.

18. (Original) A composite particle as recited in claim 14, wherein the activated carbon

has a mean particle diameter of about 1500 microns or less.

19. (Original) A composite particle as recited in claim 14, wherein the activated carbon

has a mean particle diameter of about 50 microns or less.

20. (Original) A composite particle as recited in claim 1, wherein the at least one

performance-enhancing active is substantially homogeneously dispersed throughout at

least a portion of the absorbent material.

Application No.: 10/618,401

21. (Original) A composite particle as recited in claim 1, wherein the at least one

performance-enhancing active is physically dispersed in at least one layer.

22. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active is physically dispersed in pockets in the particle.

23. (Original) A composite particle as recited in claim 1, wherein the performance-

enhancing active is physically dispersed in at least one position selected from along

surfaces of the particle and contained within pores of the particle.

24. (Original) A composite particle as recited in claim 1, further comprising an absorbent

core, the absorbent material being coupled to the core.

25. (Original) A composite particle as recited in claim 1, further comprising a non-

absorbent core, the absorbent material being coupled to the core.

26. (Original) A composite particle as recited in claim 1, further comprising a hollow

core, the absorbent material being coupled to the core.

27. (Original) A composite particle as recited in claim 1, further comprising a core, the

absorbent material at least partially surrounding the core in the form of a shell, wherein

an average thickness of the shell is at least about four times an average diameter of the

core.

28. (Original) A composite particle as recited in claim 1, further comprising a core, the

absorbent material at least partially surrounding the core in the form of a shell, wherein

an average thickness of the shell is between about 1 and about 4 times an average

diameter of the core.

In re application of: Fritter et al. Application No.: 10/618,401

29. (Original) A composite particle as recited in claim 1, further comprising a core, the

absorbent material at least partially surrounding the core in the form of a shell, wherein

an average thickness of the shell is less than an average diameter of the core.

30. (Original) A composite particle as recited in claim 1, further comprising a core, the

absorbent material at least partially surrounding the core in the form of a shell, wherein

an average thickness of the shell is less than about one-half an average diameter of the

core.

31. (Original) A composite particle as recited in claim 1, further comprising a heavy core

comprised of a material having a density higher than a density of the absorbent material,

the absorbent material being coupled to the core.

32. (Original) A composite particle as recited in claim 1, further comprising a

lightweight core comprised of a material having a density lower than a density of the

absorbent material, the absorbent material being coupled to the core.

33. (Original) A composite particle as recited in claim 1, further comprising a core

comprised of a pH-altering material, the absorbent material being coupled to the core.

34. (Original) A composite particle as recited in claim 1, wherein the particle has a bulk

density of less than about 90% of a bulk density of a generally solid particle containing

the absorbent material alone.

35. (Original) A composite particle as recited in claim 1, wherein the particle has a bulk

density of less than about 70% of a bulk density of a generally solid particle containing

the absorbent material alone.

Application No.: 10/618,401

36. (Original) A composite particle as recited in claim 1, wherein the particle has a bulk density of less than about 50% of a bulk density of a generally solid particle containing

the absorbent material alone.

37. (Original) A composite particle as recited in claim 1, further comprising multiple

cores, the absorbent material being coupled to the cores.

38. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a hydraulic conductivity value of about 0.25 cm/s or less.

39. (Original) A composite particle as recited in claim 1, wherein the composite particle

exhibits reduced sticking to a container in which the composite particle rests when the

particle is wetted relative to a generally solid particle under substantially similar

conditions.

40. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a moisture content of less than about 25% by weight based on a weight of the

composite particle.

41. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a moisture content of less than about 15% by weight based on a weight of the

composite particle.

42. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a moisture content of less than about 10% by weight based on a weight of the

composite particle.

43. (Original) A composite particle as recited in claim 1, wherein the composite particle

is capable of absorbing a weight of water equaling at least about 90 percent of a weight of

the composite particle.

Application No.: 10/618,401

44. (Original) A composite particle as recited in claim 1, wherein the composite particle

is capable of absorbing a weight of water equaling at least about 75 percent of a weight of

the composite particle.

45. (Original) A composite particle as recited in claim 1, wherein the composite particle

is capable of absorbing a weight of water equaling at least about 50 percent of a weight of

the composite particle.

46. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a dusting attrition value of at most about 15% as measured by ASTM method E-728

Standard Test Method for Resistance to Attrition of Granular Carriers and Granular

Pesticides.

47. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a malodor rating below about 15 as determined by a Malodor Sensory Method.

48. (Original) A composite particle as recited in claim 1, wherein the composite particle

exhibits noticeably less odor after four days from contamination with animal waste as

compared to a generally solid particle of the absorbent material alone under substantially

similar conditions.

49. (Original) A composite particle as recited in claim 1, wherein the composite particle

has been formed by an agglomeration process.

50. (Original) A composite particle as recited in claim 49, wherein the agglomeration

process is a pan agglomeration process.

51. (Original) A composite particle as recited in claim 49, wherein the agglomeration

process is at least one of a high shear agglomeration process, a low shear agglomeration

Application No.: 10/618,401

rotary drum agglomeration process, a fluid bed agglomeration process, a mix muller

process, a high pressure agglomeration process, a low pressure agglomeration process, a

process, a roll press compaction process, a pin mixer process, a batch tumble blending

mixer process, an extrusion process and a fluid bed process.

52. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a bulk density of about 1.5 grams per cubic centimeter or less.

53. (Original) A composite particle as recited in claim 1, wherein the composite particle

has a bulk density of 0.85 grams per cubic centimeter or less

54. (Original) A composite particle as recited in claim 53, wherein the composite particle

has a bulk density of between about 0.25 and 0.85 grams per cubic centimeter.

55. (Original) A composite particle as recited in claim 1, wherein the particle has a liquid

absorbing capability of from about 0.6 to about 2.5 liters of water per kilogram of

particles.

56. (Original) A composite particle as recited in claim 1, wherein the particle is used in

at least one of an animal litter product, a laundry product, a home care product, a water

filtration product, an air filtration product, a fertilizer product, an iron ore pelletizing

product, a pharmaceutical product, an agricultural product, a waste and landfill

remediation product, a bioremediation product, and an insecticide product.

57. (Original) Multiple composite particles as recited in claim 1, wherein substantially

each particle includes the active.

58. (Original) Multiple composite particles as recited in claim 1, wherein substantially

each particle includes multiple actives.

Application No.: 10/618,401

59. (Original) Multiple composite particles as recited in claim 1, wherein some of the

particles include a first active, and other particles contain a second active, the second

active being different than the first active.

60. (Original) Multiple composite particles as recited in claim 1, wherein at least about

80% of the particles are retained in a clump upon addition of an aqueous solution.

61. (Original) Multiple composite particles as recited in claim 1, wherein at least about

90% of the particles are retained in a clump upon addition of an aqueous solution.

62. (Original) Multiple composite particles as recited in claim 1, wherein at least about

95% of the particles are retained in a clump after 6 hours upon addition of 10 ml of cat

urine.

63. (Original) Composite particles having improved clumping characteristics,

comprising:

granules of an absorbent material formed into particles, each particle having areas

of more-water-soluble absorbent material and less-water-soluble absorbent material

relative to each other, the areas of more-water-soluble absorbent material being capable

of dislodging from the associated particle when wetted and becoming entrained between

adjacent particles, the entrained absorbent material forming a bond between the adjacent

particles.

64. (Original) Composite particles as recited in claim 63, wherein the absorbent material

is sodium bentonite having a mean particle diameter of about 1000 microns or less.

65. (Original) Composite particles as recited in claim 64, wherein the sodium bentonite

has a mean particle diameter in the range of about 25 to about 150 microns.

Application No.: 10/618,401

66. (Original) Composite particles as recited in claim 63, further comprising a performance-enhancing active, wherein the performance-enhancing active includes at least one of an antimicrobial, an odor reducing material, a binder, a fragrance, a health indicating material, a color altering agent, a dust reducing agent, a nonstick release agent, a superabsorbent material, cyclodextrin, zeolite, activated carbon, a pH altering agent, a salt forming material, a ricinoleate and mixtures thereof.

67. (Original) Composite particles as recited in claim 63, wherein a performanceenhancing additive is sprayed onto the particles.

68. (Original) Composite particles as recited in claim 63, wherein granules of a performance-enhancing additive is dry-blended with the particles, with or without addition of a binder.

69. (Original) Composite particles having improved odor reducing characteristics, comprising:

granules of an absorbent material; and

granules of an odor reducing active added to the absorbent material; wherein pores are formed between the granules of the absorbent material such that at least some of the granules of the odor reducing active positioned towards a center of the particle are in fluid or gaseous communication with an outer atmosphere surrounding the particle.

70. (Original) A composite particle as recited in claim 69, wherein the odor reducing active is activated carbon.

71. (Original) A composite particle as recited in claim 70, wherein the activated carbon is present in about 5 weight percent or less based on a weight of the composite particle.

Application No.: 10/618,401

72. (Original) A composite particle as recited in claim 70, wherein the activated carbon

is present in about 1 weight percent or less based on a weight of the composite particle.

73. (Original) A composite particle as recited in claim 70, wherein the activated carbon

has a mean particle diameter of about 500 microns or less.

74. (Original) A composite particle as recited in claim 70, wherein the activated carbon

has a mean particle diameter in the range of about 25 to 150 microns.

75. (Original) A composite particle as recited in claim 69, wherein the odor reducing

active comprising a water soluble metal salt selected from a group consisting of: silver,

copper, zinc, iron, and aluminum salts and mixtures thereof.

76-79. Cancel

80. (Original) An animal litter, comprising:

an absorbent material formed into a particle;

activated carbon added to the absorbent material; and

optionally at least one other performance-enhancing active added to the absorbent

material.

81. (Original) The animal litter as recited in claim 80, wherein the activated carbon is

present in about 1 weight percent or less based on a weight of the animal litter.

82-83. Cancel

84. (New) A plurality of composite particles comprising:

a mixture of bentonite and expanded perlite formed into a plurality of

homogeneously agglomerated composite particles suitable for use as an animal litter,

Application No.: 10/618,401

wherein substantially each homogeneously agglomerated composite particle contains a percentage of bentonite and a percentage of expanded perlite.

85. (New) The plurality of composite particles recited in claim 84, further comprising at least one performance-enhancing active.

86. (New) The plurality of composite particles recited in claim 85, wherein said performance-enhancing active is activated carbon.

87. (New) The plurality of composite particles recited in claim 85, wherein the activated carbon is powdered activated carbon (PAC).

88. (New) The plurality of composite particles as recited in claim 85, wherein the activated carbon is present in about 5 weight percent or less.

89. (New) The plurality of composite particles as recited in claim 84, wherein said homogeneously agglomerated composite particles range in size from 100 µm to 10 mm.

90. (New) The plurality of composite particles as recited in claim 84, wherein said homogeneously agglomerated composite particles range in size from 400-1650 µm.

91. (New) The plurality of composite particles as recited in claim 84, wherein said homogeneously agglomerated composite particles have a bulk density less than 1.5 g/cc.

92. (New) The plurality of composite particles as recited in claim 84, wherein said homogeneously agglomerated composite particles have a bulk density between 0.25-0.85 g/cc.

In re application of: Fritter et al. Application No.: 10/618,401

93. (New) The plurality of composite particles as recited in claim 84, wherein said homogeneously agglomerated composite particles have having a bulk density between 0.35-0.5 g/cc.

94. (New) The plurality of composite particles recited in claim 84, wherein said homogeneously agglomerated composite particles exhibit reduced sticking to a container when wetted relative to a non-agglomerated mixture under substantially similar conditions.

95. (New) The plurality of composite particles recited in claim 84, further comprising at least one of an antimicrobial, an odor control boron-containing material, a binder, a fragrance, a health incicating material, a color altering agent, a dust reducing agent, a nonstick release agent, a superabsorbent material, cyclodextrin, zeolite, a pH altering agent, a salt forming material, a ricinoleate and mixtures thereof.